



SD and **CD** Series Card Printers

For Printers Using the Datacard XPS Card Printer Driver

USB and Network Installation Instructions

Quick Install Guide



Contents

Step 1: Prepare the Printer	
(A): Single-Hopper Printers	2
(B): Multi-Hopper Printers	4
Step 2: Plug In and Power On the Printer	6
Step 3: Set Up the PC	7
Step 4: Install the Printer	
(Å): Install a USB Printer	9
(B): Install a Network Printer	11
Step 5: Install ID Software Printer Plug-In	14
Step 6: Print Sample Card	15

Installation Steps



*Supplies sold separately

The printer must be used as installed and recommended by the printer manufacturer. You may not modify the printer or how it is used without written permission. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.





Step 2: Plug In and Power On the Printer



Step 3: Set Up the PC





b





Continue with "Step 4(A): Install a USB Printer" on page 9 OR "Step 4(B): Install a Network Printer" on page 11.

Step 4(A): Install a USB Printer



b



Step 4(A): Install a USB Printer – continued



Go To "Step 5: Install ID Software Printer Plug-In" on page 14.

Step 4(B): Install a Network Printer





Step 4(B): Install a Network Printer – continued

Step 4(B): Install a Network Printer – continued

9



	haring Ports	Advanced	Color Management	Security	Printer Status	Card Counts	Supplies	About.
÷	XPS Card P	rinter						
Brint to th checked (e following	port(s), Doci	ments will print to	the first fre	•			
Port	Descrip	tion	Printer		18	1		
LPT3	Printer	Port			0			
CON	11: Serial P 12: Serial P	ont						
CON	D: Serial P	ort						
COM	H: Serial P	tro						
FILE:	Print to	File. d TCF/IF Po	et XPS Card Pric	nter			_	
Ad	ld Port		elete Port	Config	ure Port			
V Enable	bidirectiona	the equal						
Enable	printer pool	ing						
		10						

			WX X0X.X0X.X0X
Port Name: Printer Name or IP Address:		DXP01 Network Part	
		17216.2.108	
Pretocel			
# Faw		O LPR	
Raw Settings			
Port Number:	9100	1	
LPR Settings			
Queve Neme:			Sector Statements
ELER Byte Counting B	nables		ern, 1 Beach Proc. Date, 1 Sectioners, 1 Bea
SIMP Status Enables			THE NAME IN CASE
Commonly Name			
Statut Device Dollars	1		
			2
		C. OK	Designation.

Go To "Step 5: Install ID Software Printer Plug-In" on page 14.

Step 5: Install ID Software Printer Plug-In (Optional)

a



Step 6: Print Sample Card





b



Warning: This product contains chemicals, including lead, known to the State of California to cause cancer, and birth defects or other reproductive harm. *Wash hands after handling.*

Datacard®

11111 Bren Road West Minnetonka, Minnesota 55343 952.933.1223 • 952.933.7971 Fax www.datacard.com/id

© 2013, 2014 DataCard Corporation. All rights reserved. March 2014 527247-001 Rev E